

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	3013	455/115.1,91,115.2,115.3,114.2,515,507,434.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 17:29
L6	496	(adaptive near4 time near4 (interval\$1 period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 17:29
L7	4	5 and L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 17:29
S46	40	"5404353"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 06:36
S47	47	(monitor\$3 near4 (channel or signal or message) near5 (status or state)) with (downlink or download or outbound)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:55
S48	295	((time near3 interval) or (time near2 slot)) near5 data) near8 (inbound or uplink or upload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:07
S49	22332	shar\$3 near6 resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:58
S50	23	S48 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:58
S51	19539	(idle or busy or status) near5 channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:13

S52	295	((time near3 interval) or (time near2 slot)) near5 data) near8 (inbound or uplink or upload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:13
S53	41	S51 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:14
S54	2	"20040127176"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:18
S55	8	(wireless with mother).clm.	US-PGPUB	OR	ON	2005/07/19 16:20
S56	77	configur\$3 with (security near3 configurat\$3)	US-PGPUB	OR	ON	2005/07/19 16:56
S57	1	(send\$3 or transmit\$4) near6 (security near3 configurat\$3)near5 (sequence near3 number)	US-PGPUB	OR	ON	2005/07/19 16:57
S58	2	(activat\$3 near5 (sequence near2 number)) with reconfigurat\$3	US-PGPUB	OR	ON	2005/07/19 16:57
S59	21	configur\$3 with (security near3 configurat\$3).clm.	US-PGPUB	OR	ON	2005/07/19 17:06
S60	21	(configur\$3 with (security near3 configurat\$3)).clm.	US-PGPUB	OR	ON	2005/07/19 16:56
S61	1	((send\$3 or transmit\$4) near6 (security near3 configurat\$3)near5 (sequence near3 number)).clm.	US-PGPUB	OR	ON	2005/07/19 16:57
S62	1	((activat\$3 near5 (sequence near2 number)) with reconfigurat\$3). clm.	US-PGPUB	OR	ON	2005/07/19 16:57
S63	0	((enterprise near4 identity) or SIM or (Smart near2 card)) with ((unique near2 authentication) near5 cryptographic near5 application)).clm.	US-PGPUB	OR	ON	2005/07/19 17:11
S64	1	10/374471	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 07:07
S65	0	"10376378"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 07:07

S66	1	"10/376378"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 07:07
S67	2	"20030045288"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 06:38
S68	1	10/674137	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 09:44
S69	169	(adaptive near4 time near4 interval\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:00
S70	309	((((time near3 interval) or (time near2 slot)) near5 data) near8 (inbound or uplink or upload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 09:46
S71	1	S69 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 09:46
S72	496	(adaptive near4 time near4 (interval\$1 period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:00
S73	1	S70 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:00